

September 1984 - UK brochure and price list

# The unique ALKOTRAC –


in perfect harmony with your lawn.





# The Unique AL

With ● ALKOMAT Conveyor ● Colle



Garden Roller

For rolling seed, lawns and any unevenness on the ground.  
Working width 100 cm, diameter 400 mm, empty weight 36 Kg, full weight 120 Kg, with towbar coupling.



Collection Trailer


Strong, practical and attractive two wheel tipping trailer with towbar coupling. This multi-purpose trailer offers loading space of 280 litres to a weight of 140 Kg. Featuring pneumatic tyres and rear flap for easy unloading.



# ALKOTRAC 1082 System

Collection Trailer or ● Grass Box

**AL-KO**  
international



These pieces of equipment complement each other perfectly, working hand in hand:

The ALKOTRAC 1082 ensures with its single blade system an exact and even cut, of 82 cm in width. Easy to operate single handed height adjustment set in the instrument panel.

The ALKOMAT Conveyor clears the lawn quickly and efficiently. Even with wet long grass or leaves, nothing is left behind.

Combined mowing and pick-up in one operation with the energy saving ALKOMAT Conveyor.

This cutting-conveying combination offers an economical pick-up solution, and is functional in wet or dry grass. The folding detachable air chute carries the light cuttings in the air current, long cuttings are carried by the conveyor to the rear ejector, and into the collection trailer.

The Grass Collection Box has a sturdy steel frame with direct mounting to rear of ALKOTRAC ensuring ease of use between shrubs, flower beds, and narrow openings. Capacity 340 litres.

Due to the free venting synthetic material, the collection trailer or grass box can be filled to capacity, so ensuring that a giant task is completed in one flowing movement.

## Leaf Collection

When other lawnmowers are put away for the winter, the ALKOTRAC really comes into its own. With its ALKO conveyor and collection trailer/grass box, it takes care of those autumn leaves.

Another advantage lies in the fact that, when the leaves are picked up by this method, they are cut smaller and so take up less space on the compost heap. They rot quicker and are ideally suited for use as compost or mulching.

The collection trailer, filled with average length grass, holds the approximate equivalent of half the size of a football pitch.

**Using is believing!**



Trailer attachment

The attachment is made of free venting synthetic material, and has a rear flap for emptying. Total contents with collection trailer 980 litres. When attached to the ALKOTRAC the trailer is in an offset position to ensure maximum collection.



Grassbag

Large 340 litre Grassbag fitted direct to ALKOTRAC. Ideal for those difficult areas around and under bushes and trees.




Leaf Collection

With the ALKOMAT Conveyor and collection trailer you take care of all those autumn leaves.



**ALKO ALKOTRAC LAWN TRACTOR**

103 611	Petrol (Electric Start) 8 H.P.
102 547	Petrol (Electric Start) 10 H.P. 3 Gears
103 857	Petrol (Electric Start) 10 H.P. 5 Gears

**ALKO ALKOTRAC ATTACHMENTS**

102 549	Conveyor
102 550	Trailer
102 551	Canopy
100 861	Roller
103 087	Collection bag

869.52	130.43	999.95
1043.43	156.52	1199.95
1199.96	179.99	1379.95
304.30	45.65	349.95
130.39	19.56	149.95
86.91	13.04	99.95
113.00	16.95	129.95
113.00	16.95	129.95

September 1984

**Technical Data****The Alkotrac 1082**

Art. No.	102 547
Engine	Air cooled petrol engine producing 10 hp at 3600 rpm. Ignition operated starter 12 V battery 36 amp/hour.
Tank	Capacity 2.84 litres petrol
Clutch	Automatic centrifugal clutch, easily operated by accelerator pedal.
Gear Box	3 forward, 1 reverse, differential and axle in one unit.
Brakes	Combined operating and parking brake, pedal operated transmission disc brake.
Wheels	Tubeless pneumatic tyres with lawn profile. Front 13 x 5.00 - 6/2 OR. Rear 16 x 6.50 - 8/2 PR.
Seat	Contoured padded and sprung. Fully adjustable.
Steering	Free movement, easy action, cable steering. Turning circle 3800 mm.
Front axle	Swinging front suspension with castor camber and tow-in angled.
Mower drive	Independent of transmission drive over similar positioned V-belt and drive shaft from motor to cutting blade. Can be turned off from instrument panel. Combined with blade brake.
Mower housing	Flexible parallel suspension - easily changed. Side ejection on right.
Cut	One cutting blade 82 cm. Altered by a handle on the instrument panel.
Special extras	Fitted as standard - trailer coupling, built in water spray for cleaning the mower conveyor.

**The Alkotrac 882**

Art. No.	103 611
	With side ejection. Fitted with air cooled 8 hp petrol engine. Offers all the features of the 1082 model. Ideal for general grass cutting where collection is not required.

+++ 12 month guarantee +++

**ALKO Britain Ltd.**

Number One  
Industrial Estate,  
Medomsley Road,  
Consett,  
County Durham  
DH8 6SZ  
Phone:  
(0207) 590295  
Telex: 537409

K. P. BRADSHAW & CO. LTD.,  
AGRICULTURAL ENGINEERS  
CHERRY TREE  
SANDY LANE  
LYDIATE  
LIVERPOOL