



 **Mountfield**

**Ride-ons and Lawn Tractors**

# Choose a Mountfield ... and every



M25/5

## **25in. M25/5**

Smallest of our range, the M25/5 has a 25 inch cut, a reliable 5hp Briggs and Stratton engine, rear flotation tyres and a comfort formed seat. Altogether it is the finest value-for-money Ride-on available in Britain. Illustration shows machine fitted with the optional polyester Side Grass Catcher which is suitable for use with all four Ride-ons.

The side catcher, black on production units, is ideal for occasional grass collection and is supplied complete with a special blade to aid grass throw.

## **25in. M25/7**

A 7hp engine on the M25/7 makes it more suitable for larger areas of grass and rougher conditions. It has a deluxe console and is fitted with flotation tyres all round.



M25/7



M30/8

## **25in. M25/7 Electric**

This deluxe version of the 7hp model is fitted with an electric starter with alternator — a useful extra feature.

## **30in. M30/8 Electric**

This machine has a full 30 inch cut and is fitted with an 8hp Briggs and Stratton engine complete with electric start. It is shown here fitted with the large capacity Rear Grass Collector, which is an optional extra, but it is also available with a Rear Discharge Grass Cutter.

The new rear collector, with its hinged top, is easy to empty and the polyester bag, which allows the unit to breathe for efficient grass collection, cannot rot. The collector is supplied with a special blade to aid air-flow and is the ideal unit for regular large garden grass collection. The rear collector can also be fitted to the two M25/7's.

# body will want to mow your grass.



## Garden Tractor

The Garden Tractor has a 16hp synchro-balanced twin cylinder Briggs and Stratton engine, electric start and alternator, sealed beam headlights, a 36 inch cutter and a comfort formed seat. It is a miniature tractor in every detail and the larger wheels, heavy duty transaxle and four-speed gearbox make it ideal for the toughest jobs. Optional extras include a roller, lawn sweeper, two wheeled dump truck and plough.

## Lawn Tractors

The Lawn Tractors have all the power, the performance and the versatility for the bigger mowing and towing jobs in the garden. They are fitted either with an 8hp or 11hp Briggs and Stratton engine with electric start and alternator.



## Mow your grass in style.

Mountfield Ride-ons, Lawn and Garden Tractors are designed for people who want to cut large areas of grass quickly and comfortably. They are surprisingly easy to operate and comfortable to ride yet they do cut a great deal of grass without very much human effort.

Mountfield Ride-ons are fitted with many luxury features.

- \* While-you-ride height adjustment.
- \* Floating cutter heads that adjust to lawn contours.
- \* Separate foot and parking brakes for dual safety.
- \* Three forward gears to give you speeds that suit varying conditions and a reverse to get you out of corners easily.
- \* Specially shaped seats for mowing comfort.
- \* "Turf saver" tyres to carry you effortlessly over lawns without leaving marks.

But a Mountfield Ride-on is not simply unashamed luxury – it really is a very sound investment. Quality engineering and careful attention to detail have made them leaders in the field (more Mountfield Ride-ons are sold in the UK each year than all other makes put together). Briggs and Stratton engines are fitted to all models and the austempered steel cutter blades are specially shaped to give the well-known Mountfield grass collection.

Starting is either by "Easy Spin" recoil or electric battery and controls have been sited for utmost simplicity and ease of operation.

**Long or Short – it makes little difference.** With a Mountfield Ride-on you can mow a lawn or cut half an acre of paddock grass in less time than it takes to wash the dishes. It doesn't matter whether the grass is long or short, you simply start the engine, settle into the comfortable seat, adjust the height of cut, slip into gear and away you go. If the grass is wet, however, it is better to leave collection until the cuttings have had a chance to dry.

And using a Mountfield Ride-on really is fun – your wife might even have the job finished before you get home from work. You will certainly never have trouble finding volunteers to cut the grass – older children will compete for the privilege.



**36" Lawn Roller** Heavy duty welded steel tank type lawn roller weighs up to 400 lbs when filled with water.



**30" or 36" Lawn Sweepers** For collecting grass cuttings or leaves. Sweeping height is adjustable from the driver's seat. Convenient rear dumping.

**Two Wheel Dump Truck** Empty this handy dump cart from the driver's seat – transport leaves, grass cuttings, garden rubbish etc. Extension sides will double capacity.



## Simple Controls.

Mountfield Ride-ons have been designed with simple, effective, accessible controls which make for easy operation.

## Ride-ons

LEFT

Single pedal combination clutch and brake. Blade control on the right and throttle mounted on the console.

RIGHT

Gear lever and ignition on right of seat, height of cut below.




LEFT

Battery, gearbox and engine as seen from the rear.

RIGHT

Parking brake and height of cut control.



## Lawn Tractors

LEFT

Ignition, throttle and lighting controls.

RIGHT

Gear lever, height of cut and blade controls.



# Specifications

## Tractors

## Ride-ons

| Tractors                       |                          |                          |                          | Ride-ons                       |                                       |                                       |                                       |
|--------------------------------|--------------------------|--------------------------|--------------------------|--------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| <b>Model</b>                   | Garden Tractor           | Lawn Tractors            |                          | <b>Model No.</b>               | 25/5                                  | 25/7                                  | 25/7 Electric                         |
| <b>Cut Size</b>                | 36"                      | 30"                      | 36"                      | <b>Cut Size</b>                | 25"                                   | 25"                                   | 30"                                   |
| <b>Engine</b>                  | 16HP                     | 8HP                      | 11HP                     | <b>Engine</b>                  | 5HP                                   | 7HP                                   | 8HP                                   |
| <b>Starter</b>                 | Electric with Alternator | Electric with Alternator | Electric with Alternator | <b>Start</b>                   | Recoil                                | Recoil                                | Electric with Alternator              |
| <b>Sealed-Beam Headlights</b>  | Yes                      | No                       | Yes                      | <b>Transmission</b>            | 3-Speed                               | 3-Speed                               | 3-Speed                               |
| <b>Clutch</b>                  | Foot Pedal               | Foot Pedal               | Foot Pedal               | <b>Differential</b>            | Heavy Duty                            | Heavy Duty                            | Heavy Duty                            |
| <b>Transmission</b>            | 4-Speed                  | 3-Speed                  | 3-Speed                  | <b>Clutch</b>                  | Foot Pedal                            | Foot Pedal                            | Foot Pedal                            |
|                                |                          |                          |                          | <b>Braking System</b>          | Single Pedal Combination Clutch/Brake | Single Pedal Combination Clutch/Brake | Single Pedal Combination Clutch/Brake |
| <b>Braking System</b>          | Disc                     | Disc                     | Disc                     | <b>Separate Parking Brake</b>  | Yes                                   | Yes                                   | Yes                                   |
| <b>Seat</b>                    | Comfort Formed           | Comfort Formed           | Comfort Formed           | <b>Seat</b>                    | Comfort Formed                        | Comfort Formed                        | Comfort Formed                        |
| <b>Front Tyres</b>             | 16" x 6.50"              | 13" x 5.00"              | 15" x 6.00"              | <b>Front Tyres</b>             | 10.00" x 3.50" Semi-pneumatic         | 10.00" x 3.50"                        | 10.00" x 3.50"                        |
| <b>Rear Tyres</b>              | 23" x 8.50"              | 16" x 6.50"              | 18" x 9.50"              | <b>Rear Tyres</b>              | 12.50" x 4.10"                        | 13" x 5.00"                           | 13" x 5.00"                           |
| <b>Height Adjustment</b>       | 1½"-3½"                  | 7/8"-3½"                 | 1½"-3½"                  | <b>Height Adjustment</b>       | ½"-2½"                                | ½"-2½"                                | ½"-2½"                                |
| <b>Blades</b>                  | Twin                     | Single                   | Twin                     | <b>Blade</b>                   | Single                                | Single                                | Single                                |
| <b>Blade Housing</b>           | Floating                 | Floating                 | Floating                 | <b>Blade Housing</b>           | Floating                              | Floating                              | Floating                              |
| <b>Steering Wheel</b>          | 13" Auto Type            | 13" Auto Type            | 13" Auto Type            | <b>Steering Wheel</b>          | Auto Type                             | Auto Type                             | Auto Type                             |
| <b>Steering Ratio</b>          | 5.3 to 1                 | 5.3 to 1                 | 5.3 to 1                 | <b>Steering Ratio</b>          | 2 to 1                                | 2 to 1                                | 2 to 1                                |
| <b>Blade Control Interlock</b> | Yes                      | Yes                      | Yes                      | <b>Blade Control Interlock</b> | Yes                                   | Yes                                   | Yes                                   |
| <b>Transaxle</b>               | Clutch Interlock         |                          | Clutch Interlock         | <b>Transmission Interlock</b>  | Yes                                   | Yes                                   | Yes                                   |
| <b>Chute Deflector</b>         | Yes                      | Yes                      | Yes                      | <b>Chute Deflector</b>         | Yes                                   | Yes                                   | Yes                                   |
| <b>Off-On Key</b>              | Yes                      | Yes                      | Yes                      | <b>Off-On Key</b>              | Yes                                   | Yes                                   | Yes                                   |
| <b>App Shipping Weight</b>     | 540lbs or 568lbs         | 400lbs                   | 442lbs                   | <b>App Shipping Weight</b>     | 265lbs                                | 275lbs                                | 285lbs                                |

Please note:- Colours change and Transfer Styles alter from time to time and may not be as illustrated.

## May we tempt you with our free test drive?

Mountfield Ride-ons were amongst the first modern kart-style mowers introduced into Britain. Over the years they have been tried and tested in literally thousands of gardens and estates. We know that they are reliable, efficient and undoubtedly the best value on the market but we believe you should look around and

compare them with other makes before you decide. Better still we would like you to test a Mountfield in your own garden and appreciate the true value of these remarkable machines before you buy. Contact your local Appointed Mountfield Dealer now to arrange your test drive – it's your first step to the easy life!



**G. D. MOUNTFIELD LTD.**  
REFORM ROAD,  
MAIDENHEAD, BERKS,  
SL6 8DQ.

Dealer

We manufacture a full range of walk behind mowers and cultivators. Mountfield Multi-Trim Trimmers will complete your garden mechanisation. Full details on request.

### Appointed Mountfield Sales/Service Dealer Network

As grass and ground conditions vary so much, we recommend you purchase your Mountfield machine through one of our Sales/Service Dealers. There will be one in your area, who, whenever possible, stocks a full range of machines and attachments and we recommend you obtain guidance, a demonstration and after-sales service from that Dealer.

A garden machine, in these days of inflation, should be purchased as an investment and the right machine for your own particular conditions is therefore essential. The recommended prices shown on the separate list allow the Dealer to provide the above facilities.

G. D. Mountfield Ltd. reserve the right to alter prices, design or specifications of their goods without notice.

**Guarantee.** All Mountfield goods are guaranteed against faulty workmanship or materials for 12 months.

Mountfield Ride-ons are made in the U.S.A.



# G·D MOUNTFIELD LTD

REFORM ROAD MAIDENHEAD BERKS SL6 8DQ Registered Office

15th January, 1981

## RECOMMENDED RIDE-ON MOWER AND GARDEN TRACTOR PRICE LIST

|   | Recomm.<br>Selling<br>Price<br>£ p | VAT<br>at<br>15%<br>£ p | Total<br>Inc.<br>VAT<br>£ p |
|---|------------------------------------|-------------------------|-----------------------------|
| M25/5 Ride-on<br>25" Rotary Mower<br>5hp four-stroke engine<br>Three forward speeds and one reverse ... ..  | 434.00                             | 65.10                   | 499.10                      |
| M25/7 Ride-on<br>25" Rotary Mower<br>7hp four-stroke engine<br>Three forward speeds and one reverse ... ..  | 494.00                             | 74.10                   | 568.10                      |
| M25/7 Ride-on<br>As above but with electric start ... ..  | 564.00                             | 84.60                   | 648.60                      |
| M30/8 Ride-on<br>30" Rotary Mower. Electric Start<br>8hp four-stroke engine<br>Three forward speeds and one reverse ... ..                              | 605.00                             | 90.75                   | 695.75                      |
| 8hp Lawn Tractor<br>c/w 30" Side Discharge Mower<br>Electric Start<br>Three forward speeds and one reverse ... ..                                       | 690.00                             | 103.50                  | 793.50                      |
| 11hp Lawn Tractor<br>c/w 36" Side Discharge Mower<br>Electric Start<br>Three forward speeds and one reverse ... ..                                      | 759.00                             | 113.85                  | 872.85                      |
| 16hp Twin Garden Tractor<br>Electric Start<br>Fitted with Heavy Duty Rear Axle<br>Four forward speeds and one reverse<br>(Rotary Mower optional) ... .. | 1070.00                            | 160.50                  | 1230.50                     |

See over for all attachments

### RIDE-ON AND TRACTOR ATTACHMENTS

|   | Recomm.<br>Selling<br>Price<br>£ p | VAT<br>at<br>15%<br>£ p | Total<br>Inc.<br>VAT<br>£ p |
|---|------------------------------------|-------------------------|-----------------------------|
| Polyester Grass Catcher sold complete with<br>Hi-lift blade (for ride-ons only) ... ..                                | 18.50                              | 2.77                    | 21.27                       |
| Rear Grass Catcher sold complete with<br>Hi-lift blade (for 8hp Lawn Tractor and all<br>Ride-ons except M25/5) ... .. | 69.00                              | 10.35                   | 79.35                       |
| 30" Lawn Sweeper — Trailed for all models ... ..  | 120.00                             | 18.00                   | 138.00                      |
| 36" Lawn Sweeper — Trailed for all models ... ..  | 150.00                             | 22.50                   | 172.50                      |
| 36" Lawn Roller for all models ... ..   | 60.00                              | 9.00                    | 69.00                       |
| Two Wheel Dump Trailer for all models—5 cwt ... ..  | 79.00                              | 11.95                   | 90.85                       |
| Extension sides for above ... ..  | 25.00                              | 3.75                    | 28.75                       |
| 36" Rotary Mower (Side discharge)<br>for Garden Tractors only ... ..  | 99.00                              | 14.85                   | 113.85                      |
| 42" Snow Blade for all tractors ... ..  | 69.00                              | 10.35                   | 79.35                       |
| Rear Wheel Weights (50 lb per weight)<br>per pair for Garden Tractors only ... ..                                     | 38.00                              | 5.70                    | 43.70                       |
| Snow Chains for Garden Tractors only ... ..   | 52.00                              | 7.80                    | 59.80                       |
| Attachments Hitch for 'Brinly' Plough,<br>Cultivator, Disc Harrow etc. ... ..   | 41.00                              | 6.15                    | 47.15                       |
| 10" Moldboard Plough ... ..   | 95.00                              | 14.25                   | 109.25                      |
| 44" Cultivator ... ..   | 65.00                              | 9.75                    | 74.75                       |
| 39" Disc Harrow ... ..  | 67.00                              | 10.05                   | 77.05                       |

It is recommended that the Brinly Attachments only be used on previously cultivated ground.